



Altronix® Corporation is a leading designer and manufacturer of low voltage electronic components. Altronix offers a comprehensive line of Security, Fire, CCTV, Access, Nurse Call, and Automation products. The security industry requires electronic components which perform flawlessly under rigorous conditions, twenty-four hours a day. By incorporating cutting-edge design and engineering, Altronix has secured an unprecedented reputation synonymous with quality, service and reliability.

Altronix is a leading US manufacturer of low-voltage power supplies and accessories for security, fire, surveillance and access control. Products include power supplies, IP over coax solutions, PoE and UTP products, video surveillance UPS, panic hardware device power controllers, access power controllers, NAC power extenders, etc. Lifetime warranty – made in USA.

NetWay8M

PoE Managed Midspan

- Supports up to eight (8) cameras/edge devices
- IEEE 802.3af (PoE) and IEEE 802.3at (PoE+) compliant.
- Provides up to 30W per port not to exceed 150W.
- Plug-and-play yet easily customizable.
- Ethernet port facilitates setup and status monitoring.

JENNE PART NUMBER:

NetWay8M

- Automatic detection and protection of legacy non-PoE cameras.
- Compact 1U rack mount chassis. 115VAC input.
- UL/CUL Listed, CE Approved.

NetWay8M



NetWay16M

PoE Managed Midspan

- Supports up to sixteen (16) cameras/edge devices
- IEEE 802.3af (PoE) and IEEE 802.3at (PoE+) compliant.
- Provides up to 30W per port not to exceed 300W.
- Plug-and-play yet easily customizable.
- Ethernet port facilitates setup and status monitoring.

JENNE PART NUMBER:

NetWay16M

- Automatic detection and protection of legacy non-PoE cameras.
- Compact 1U rack mount chassis. 115VAC input.
- UL/CUL Listed, CE Approved.

NetWay16M



NetWay1

PoE Midspan Injector

- Unit provides up to 15.4W max. power.
- IEEE 802.3af compliant.
- Single port provides power and pass through data (video).
- 24VAC or 24VDC input.
- PoE shutdown feature.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

NetWay1

NetWay1



NetWayXT

PoE Repeater Module

- Interfaces with NetWay midspans to extend data (video) an additional 100m (328 ft).
- Multiple units may be used on a single port to extend range.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

NetWayXT

NetWayXT



eBridge1CRT

Single Port IP over Coax Kit

- Transmits video/data over existing coax cable up to 2000 ft. without repeaters.
- Allows easy upgrade of legacy coax infrastructure.
- Each coaxial cable can support an IP camera with composite video and data simultaneously or multiple IP cameras with an Ethernet switch.
- Kit includes (1) eBridge1CR receiver and one (1) eBridgeCT transceiver.
- UL/CUL Listed, CE Approved

JENNE PART NUMBER:

eBridge1CRT

eBridge1CRT



eBridge4CR

Four (4) Port IP over Coax Receiver

- Transmits video/data over existing coax cable up to 2000 ft. without repeaters.
- Allows easy upgrade of legacy coax infrastructure.
- Each coaxial cable can support an IP camera(s) with composite video and data simultaneously or multiple IP cameras with an Ethernet switch.
- Compatible with eBridge1CT or cameras with Sloc technology.
- UL/CUL Listed.

JENNE PART NUMBER:

eBridge4CR

eBridge4CR



eBridge16CR

Sixteen (16) Port IP over Coax Receiver

- Transmits video/data over existing coax cable up to 2000 ft. without repeaters.
- Allows easy upgrade of legacy coax infrastructure.
- Each coaxial cable can support an IP camera(s) with composite video and data simultaneously or multiple IP cameras with an Ethernet switch.

JENNE PART NUMBER:

eBridge16CR

eBridge16CR

- Compact 1U rack mount chassis
- Compatible with eBridge1CT or cameras with Sloc technology.
- UL/CUL Listed.





SURVEILLANCE POWER SUPPLIES/ACCESSORIES

HubWay16Di

Passive UTP Transceiver Hub with Integral Isolated Camera Power

- Sixteen (16) channels of combined video, data and power.
- 16 amp total output power.
- Quality video up to 750 ft.
- Individually selectable 24VAC or 28VAC electronically isolated power outputs with OFF position.

JENNE PART NUMBER:

HubWay16Di

HubWay16Di



- Compact 1U rack mount chassis. 115/230VAC input.
- UL/CUL Listed, CE Approved.

HubWayAv2

Slim Line Video Balun/Combiner

- Interfaces with HubWay UTP transceiver Hubs for 24VAC/12VDC fixed or PTZ cameras.
- Pass through video/data/power.
- 1 amp supply current (based on power supply rating).

JENNE PART NUMBER:

HubWayAv2

HubWayAv2



ALTV244UL

Four (4) Output CCTV Power Supply

- 24VAC @ 3.5 amp or 28VAC @ 3 amp total supply current.
- Fuse protected outputs.
- Power ON/OFF switch.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

ALTV244UL

ALTV244UL



VertiLine8

Eight (8) Output Rack Mount CCTV Power Supply

- 24VAC or 28VAC @ 5 amp total supply current.
- Individually selectable 24VAC or 28VAC power outputs with OFF position.
- Fuse protected outputs.
- 115VAC or 230VAC selectable input.
- Compact 1U rack mount chassis
- UL Listed.

JENNE PART NUMBER:

VertiLine8

VertiLine8



ALTV248UL

Eight (8) Output CCTV Power Supply

- 24VAC @ 3.5 amp or 28VAC @ 3 amp total supply current.
- Fuse protected outputs.
- Power ON/OFF switch.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

ALTV248UL

ALTV248UL



VertiLine16

Sixteen (16) Output Rack Mount CCTV Power Supply

- 24VAC or 28VAC @ 10 amp total supply current.
- Individually selectable 24VAC or 28VAC power outputs with OFF position.
- Fuse protected outputs.
- 115VAC or 230VAC selectable input.
- Compact 1U rack mount chassis
- UL Listed.

JENNE PART NUMBER:

VertiLine16

VertiLine16



ALTV2416ULX

Sixteen (16) Output CCTV Power Supply

- 24VAC @ 7 amp or 28VAC @ 6 amp total supply current..
- Fuse protected outputs.
- Power ON/OFF switch.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

ALTV2416ULX

ALTV2416ULX



TP2420

AC Plug-in Transformer

- 24VAC/20VA (0.8 amp) supply current.
- UL Listed.

JENNE PART NUMBER:

TP2420

TP2420



TP2440

AC Plug-in Transformer

- 24VAC/20VA (1.67 amp) supply current.
- UL Listed.

JENNE PART NUMBER:

TP2440

TP2440



Sav4D

DC Power Supplies

- 12VDC @ 5 amp supply current.
- Four (4) PTC protected power limited outputs.
- 115/230VAC input.
- UL/CUL Listed.

JENNE PART NUMBER:

Sav4D

Sav4D



Sav9D

DC Power Supplies

- 12VDC @ 5 amp supply current.
- Nine (9) PTC protected power limited outputs.
- 115/230VAC input.
- UL/CUL Listed.

JENNE PART NUMBER:

Sav9D

Sav9D



Altronix is a leading US manufacturer of low-voltage power supplies and accessories for security, fire, surveillance and access control. Products include power supplies, IP over coax solutions, PoE and UTP products, video surveillance UPS, panic hardware device power controllers, access power controllers, NAC power extenders, etc. Lifetime warranty – made in USA.

NetWay8M

PoE Managed Midspan

- Supports up to eight (8) cameras/edge devices
- IEEE 802.3af (PoE) and IEEE 802.3at (PoE+) compliant.
- Provides up to 30W per port not to exceed 150W.
- Plug-and-play yet easily customizable.
- Ethernet port facilitates setup and status monitoring.

JENNE PART NUMBER:

NetWay8M

- Automatic detection and protection of legacy non-PoE cameras.
- Compact 1U rack mount chassis. 115VAC input.
- UL/CUL Listed, CE Approved.



NetWay8M

NetWay16M

PoE Managed Midspan

- Supports up to sixteen (16) cameras/edge devices
- IEEE 802.3af (PoE) and IEEE 802.3at (PoE+) compliant.
- Provides up to 30W per port not to exceed 300W.
- Plug-and-play yet easily customizable.
- Ethernet port facilitates setup and status monitoring.

JENNE PART NUMBER:

NetWay16M

- Automatic detection and protection of legacy non-PoE cameras.
- Compact 1U rack mount chassis. 115VAC input.
- UL/CUL Listed, CE Approved.



NetWay16M

NetWay1

PoE Midspan Injector

- Unit provides up to 15.4W max. power.
- IEEE 802.3af compliant.
- Single port provides power and pass through data (video).
- 24VAC or 24VDC input.
- PoE shutdown feature.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

NetWay1



NetWay1

NetWayXT

PoE Repeater Module

- Interfaces with NetWay midspans to extend data (video) an additional 100m (328 ft).
- Multiple units may be used on a single port to extend range.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

NetWayXT



NetWayXT

eBridge1CRT

Single Port IP over Coax Kit

- Transmits video/data over existing coax cable up to 2000 ft. without repeaters.
- Allows easy upgrade of legacy coax infrastructure.
- Each coaxial cable can support an IP camera with composite video and data simultaneously or multiple IP cameras with an Ethernet switch.
- Kit includes (1) eBridge1CR receiver and one (1) eBridgeCT transceiver.
- UL/CUL Listed, CE Approved

JENNE PART NUMBER:

eBridge1CRT



eBridge1CRT

eBridge4CR

Four (4) Port IP over Coax Receiver

- Transmits video/data over existing coax cable up to 2000 ft. without repeaters.
- Allows easy upgrade of legacy coax infrastructure.
- Each coaxial cable can support an IP camera(s) with composite video and data simultaneously or multiple IP cameras with an Ethernet switch.
- Compatible with eBridge1CT or cameras with Sloc technology.
- UL/CUL Listed.

JENNE PART NUMBER:

eBridge4CR



eBridge4CR

eBridge16CR

Sixteen (16) Port IP over Coax Receiver

- Transmits video/data over existing coax cable up to 2000 ft. without repeaters.
- Allows easy upgrade of legacy coax infrastructure.
- Each coaxial cable can support an IP camera(s) with composite video and data simultaneously or multiple IP cameras with an Ethernet switch.

JENNE PART NUMBER:

eBridge16CR

- Compact 1U rack mount chassis
- Compatible with eBridge1CT or cameras with Sloc technology.
- UL/CUL Listed.



eBridge16CR

HubWay16Di

Passive UTP Transceiver Hub with Integral Isolated Camera Power

- Sixteen (16) channels of combined video, data and power.
- 16 amp total output power.
- Quality video up to 750 ft.
- Individually selectable 24VAC or 28VAC electronically isolated power outputs with OFF position.

HubWay16Di

JENNE PART NUMBER:

HubWay16Di

- Compact 1U rack mount chassis. 115/230VAC input.
- UL/CUL Listed, CE Approved.



HubWayAv2

Slim Line Video Balun/Combiner

- Interfaces with HubWay UTP transceiver Hubs for 24VAC/12VDC fixed or PTZ cameras.
- Pass through video/data/power.
- 1 amp supply current (based on power supply rating).

JENNE PART NUMBER:

HubWayAv2

HubWayAv2



ALTV244UL


Four (4) Output CCTV Power Supply

- 24VAC @ 3.5 amp or 28VAC @ 3 amp total supply current.
- Fuse protected outputs.
- Power ON/OFF switch.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

ALTV244UL

ALTV244UL



ALTV248UL


Eight (8) Output CCTV Power Supply

- 24VAC @ 3.5 amp or 28VAC @ 3 amp total supply current.
- Fuse protected outputs.
- Power ON/OFF switch.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

ALTV248UL

ALTV248UL



VertiLine8

Eight (8) Output Rack Mount CCTV Power Supply

- 24VAC or 28VAC @ 5 amp total supply current.
- Individually selectable 24VAC or 28VAC power outputs with OFF position.
- Fuse protected outputs.
- 115VAC or 230VAC selectable input.
- Compact 1U rack mount chassis
- UL Listed.

JENNE PART NUMBER:

VertiLine8

VertiLine8



VertiLine16

Sixteen (16) Output Rack Mount CCTV Power Supply

- 24VAC or 28VAC @ 10 amp total supply current.
- Individually selectable 24VAC or 28VAC power outputs with OFF position.
- Fuse protected outputs.
- 115VAC or 230VAC selectable input.
- Compact 1U rack mount chassis
- UL Listed.

JENNE PART NUMBER:

VertiLine16

VertiLine16



ALTV2416ULX


Sixteen (16) Output CCTV Power Supply

- 24VAC @ 7 amp or 28VAC @ 6 amp total supply current..
- Fuse protected outputs.
- Power ON/OFF switch.
- UL/CUL Listed, CE Approved.

JENNE PART NUMBER:

ALTV2416ULX

ALTV2416ULX



TP2420

AC Plug-in Transformer

- 24VAC/20VA (0.8 amp) supply current.
- UL Listed.

JENNE PART NUMBER:

TP2420

TP2420



TP2440

AC Plug-in Transformer

- 24VAC/20VA (1.67 amp) supply current.
- UL Listed.

JENNE PART NUMBER:

TP2440

TP2440



Sav4D

DC Power Supplies

- 12VDC @ 5 amp supply current.
- Four (4) PTC protected power limited outputs.
- 115/230VAC input.
- UL/CUL Listed.

JENNE PART NUMBER:

Sav4D

Sav4D



Sav9D

DC Power Supplies

- 12VDC @ 5 amp supply current.
- Nine (9) PTC protected power limited outputs.
- 115/230VAC input.
- UL/CUL Listed.

JENNE PART NUMBER:

Sav9D

Sav9D

